Clinical and Experimental Pharmacology and Physiology (1989) **16**, 955–966

AUTHOR INDEX

Abrahams, J. M., see Evans, R. G.
Adam, W. R. Potassium tolerance (Editorial Review) 687
Adam, W. R., Craik, D. J., Kneen, M. and Wellard, R. M. Effect of magnesium depletion and potassium depletion and chlorothiazide on intracellular pH in the rat, studied by ^{31}P NMR 33
Al-Essa, L. Y., see Najim, R. A.
Al-Jawad F. H., see Najim, R. A.
Al-Waili, N. S. Nifedipine in corticosteroid-dependent asthma: Preliminary study 715
Alcaraz, C., Bansinath, M., Turndorf H. and Puig, M. M. Hypothermia enhances the effects of morphine on hormonal and histamine release 367
Aldes, L. D., see Brown, C. B.
Aldred, P., see Barrett, G.
Ali, B. H. Effect of furazolidone and nitrofurazone on brain gamma-amino butyric acid and glutamate concentrations in chickens 363
Allen, T. J., see O'Brien, R. C.
Anand, S., see Karmakar, N.
Anderson, W. P., see Denton, K. M.
Angus, J. A., see Cocks, T. M.
Aylward, P. E., see Russell, A. E.
Bachmann, A. W., see Gordon, R. D.
Bachmann, A. W., Hawkins, P. G. and Gordon, R. D. Phaeochromocytomas secreting adrenaline but not noradrenaline do not cause hypertension and require precise adrenaline measurement for diagnosis (Short Comm.) 275
Bansinath, M., see Alcaraz, C.
Bapna, J. S., see Ramaswamy, S.
Barres, C., see Sannajust, F.
Barrett, G., Morgan, T., Smith, M. and Aldred, P. Effect of mineralocorticoids and salt loading on renin release, renal renin content and renal renin mRNA in mice 631
Beart, P. M. Dopamine receptors: Classification, properties and drug development 511
Beart, P. M., see Manallack, D. T.
Beilin, L. J., see Sturm, M. J.
Beilin, L. J., see Torre, L. B.
Bennett, W. M. Mechanisms of aminoglycoside nephrotoxicity (Editorial Review) 1
Birkett, D. J., see Mackenzie, P. I.
Birkett, D. J., see McManus, M. E.
Birkett, D. J. Racemates or enantiomers: Regulatory approaches 479
Blake, D. W., see Langton, D.
Boura, A. L. A., see Lau, W. A. K.
Brand-Maher, C., see Tunny, T. J.
Brassard, M. and Yamaguchi, N. Evidence that increases in circulating catecholamines of adrenal origin are not involved in pressor response to bilateral carotid occlusion in anaesthetized dogs 147
Brent, P. J., see Heller, R. F.

Brock, J. A., Cunnane, T. C., Evans, R. J. and Ziogas, J. Inhibition of transmitter release from sympathetic nerve endings by ω-conotoxin (Short Comm.) 333
Broughton, A., see Cocks, T. M.
Brown, C. B., see Brown, C. B.
Bune, A. J. C., see Russell, A. E.
Burcher, E. The study of tachykinin receptors 539
Burgess, W., see McManus, M. E.
Cameron, D. L., see Crocker, A. D.
Campbell, K. B., see Rahami, A. R.
Carney, G. M., see Tunny, T. J.
Casley, D. J., see Kohzuki, M.
Cerutti, C., see Sannajust, F.
Chai, S. Y., see Kohzuki
Chalmers, J. P., see Russell, A. E.
Chan, R. K. W., see Wong, T. M.
Cheah, L. S., see Gwee, M. C. E.
Chen, W. Y. Effect of Na^+ pump suppression on reactivity of rat trachealis to cooling 375
Chiba, S., see Iwatsuki, K.
Choo, L. K., see Mitchelson, F.
Chowdhury, J. R., see Mackenzie, P. I.
Chowdhury, N. R., see Mackenzie, P. I.
Chronister, R. B., see Brown, C. B.
Cockram, C. S., see Teoh, R.
Cocks, T. M., Broughton, A., Dib, M., Sudhir, K. and Angus, J. A. Endothelin is blood vessel selective: Studies on a variety of human and dog vessels *in vitro* and on regional blood flow in the conscious rabbit (Short Comm.) 243
Coghlan, J. P., see Scoggins, B. A.
Coghlan, J. P., see Spence, C. D.
Coghlan, J. P., see Yates, N. A.
Cooper, E., see Wintour, E. M.
Cooper, M. E., see O'Brien, R. C.
Courneya, C. A., Wilson, N. and Ledsome, J. R. Plasma vasopressin and atrial natriuretic factor during haemorrhage: Influence of cardiac and aortic receptors 651
Craik, D. J., see Adam, W. R.
Crocker, A. D. and Cameron, D. L. Receptor alkylating agents: Novel tools for the study of receptor function in the central nervous system of the rat 545
Crozier, I. G., Nicholls, M. G., Ikram, H., Espiner, E. A. and Yandle, T. G. Atrial natriuretic peptide levels in congestive heart failure in man before and during converting enzyme inhibition 417
Cubela, R., see Fabris, B.
Cunnane, T. C., see Brock, J. A.
Cunnane, T. C. and Manchanda, R. Effects of reserpine pretreatment on neuroeffector transmission in the vas deferens 451
Dai, S., see Ko, W. W-W.
Dai, S. Histamine enhances hypoxia-induced ventricular arrhythmias in isolated rat hearts 925
Darroch, S., see Mitchelson, F.
DeFeo, M. L., see Hegde, S. S.

Delbridge, L. M., Harris, P. J. and Morgan, T. O. Characterization of single heart cell contractility by rapid imaging 179
Denborough, M. A., see Foster, P. S.
Denton, D. A., see Spence, C. D.
Denton, K. M. and Anderson, W. P. Renal venous wedge pressure in renal wrap hypertension in rabbits (Short Comm.) 681
Dib, M., see Cocks, T. M.
Dickinson, R. G., Fowler, D. W. and Kluck, R. M. Maternofetal transfer of phenytoin, *p*-hydroxy-phenytoin and *p*-hydroxy-phenytoin-glucuronide in the perfused human placenta 789
Dickinson, R. G., King, A. R. and Verbeeck, R. K. Elimination of diflunisal as its acyl glucuronide, phenolic glucuronide and sulfate conjugates in bile-exteriorized and intact rats 913
Dowling, G. J., Harris, P. J. and Skinner, S. L. Effects of renal denervation and atrial natriuretic factor on tubular reabsorbtion in anaesthetized rats 773
Downey, H. F., see Hengy, B.
Dryden, W. F., see Singh, Y. N.
Dubbin, P. N., see Macdonald, P. S.
Dusting, G. J., see Macdonald, P. S.
Espiner, E. A., see Crozier, I. G.
Eto, T., see Kita, T.
Evans, R. G., Olley, J. E., Rice, G. E. and Abrahams, J. M. Effects of subacute opioid administration during late pregnancy in the rat on the initiation, duration and outcome of parturition and maternal levels of oxytocin and arginine vasopressin 169
Evans, R. G., Olley, J. E., Rice, G. E. and Abrahams, J. M. μ- and κ-opiate receptor agonists reduce plasma neurohypophysial hormone concentrations in water-deprived and normally hydrated rats 191
Evans, R. J., see Brock, J. A.
Fabris, B., Jackson, B., Cubela, R., Mendelsohn, F. A. O. and Johnston, C. I. Angiotensin converting enzyme in the rat heart: Studies of its inhibition *in vitro* and *ex vivo* (Short Comm.) 309
Fawcett, A. A., see Hales, J. R. S.
Field, M. J., Seow, F. and Lawrence, J. R. Micropuncture comparison of nephron function during acute and chronic ADH excess in the rat 77
Finn, W. L., see Gordon, R. D.
Finn, W. L., see Klemm, S. A.
Finn, W. L., see Tunny, T. J.
Fleming, W. W. Mechanisms of adaptive supersensitivity in smooth muscle vs cardiac muscle: A brief review 447
Foster, P. S., Hopkinson, K. C. and Denborough, M. A. Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperexia-susceptible human skeletal muscle 799
Fowler, D. W., see Dickinson, R. G.
Fox, D., Handberg, G. M., Hartley, M. L., Monagle, J. and Pennefather, J. N. Actions of some autacoids and peptides, including relaxin, on costo-uterine muscle from rats 561
Friederichs, E., Rädisch, T. and Winkler, H. Calcium content of the erythrocytes: A sensitive and easy handling method for measuring free calcium ions, and modulation of the Ca^{2+} ion concentration by the calcium antagonists nifedipine and pentoxifylline 387
Fujii, T., see Nakanishi, H.

Fullerton, M., see Langton, D.
Furui, H., Suzuki, K., Takagi, K. and Sataķe, T. Effect of colforsin on human neutrophil superoxide production and intracellular calcium mobilization 199
Furukawa, T., see Yamada, K.
Garcia-Pardo, L. A., see González, P.
Gelder, J. van, see Tunny, T. J.
Gerkens, J. F. Inhibition of vasoconstriction by platelet activating factor in the *in situ* blood perfused rat mesentery 161
González, J., see González, P.
González, P., Tuñon, M. J., Manrique, V., Garcia-Pardo, L. A. and González, J. Changes in hepatic cytosolic glutathione S-transferase enzymes induced by clotrimazole treatment in rats 867
Gordon, R. D., see Bachmann, A. W.
Gordon, R. D., see Hawkins, P. G.
Gordon, R. D., see Klemm, S. A.
Gordon, R. D., see Tunny, T. J.
Gordon, R. D., see Whitworth, J. A.
Gordon, R. D., Hawkings, P. G., Hamlet, S. M., Tunny, T. J., Klemm, S. A., Bachmann, A. W. and Finn, W. L. Unexpected incidence of low blood pressure 2 years after unilateral adrenalectomy for primary aldosteronism (Short Comm.) 281
Grice, J. E., see Jackson, R. V.
Grinpukel, S. A., see Sewell, R. B.
Gwee, M. C. E. and Cheah, L. S. In vitro time course studies on train-of-four fade induced by hexamethonium, pancuronium and decamethonium in the rat hemidiaphragm 897
György, A. Z., see Sugo, E.
Hales, J. R. S., Stephens, F. R. N., Fawcett, A. A., Sheahan, J., Westerman, R. A. and James, S. B. Observations on a new non-invasive monitor of skin blood flow 403
Hall, P. F. Cytochromes P-450 in steroidogenesis: Are these enzymes more specific than those of drug metabolism? 485
Hamlet, S. M., see Gordon, R. D.
Hamlet, S. M., see Klemm, S. A.
Hamlet, S. M., see Tunny, T. J.
Handberg, G. M., see Fox, D.
Hansen, A. J., see May, B. K.
Harpley, R., see Whitworth, J. A.
Harris, P. J., see Delbridge, L. M.
Harris, P. J., see Dowling, G. J.
Harsdorf, R. von, Lang, R. E. and Woodcock, E. A. Dilatation of the right atrium stimulates phosphatidylinositol turnover (Short Comm.) 341
Hartley, M. L., see Fox, D.
Hassam, R. M., see Russell, A. E.
Hawkins, P. G., see Bachmann, A. W.
Hawkins, P. G., see Gordon, R. D.
Hawkins, P. G., see Klemm, S. A.
Hawkins, P. G., McKnoulty, L. M., Gordon, R. D., Klemm, S. A. and Tunny, T. J. Renal artery duplex ultrasonography: A reliable new screen test for functionally significant renal artery stenosis (Short Comm.) 293

Hayashi, K., see Kageyama, M.
Head, R. J. Determinants of smooth muscle sensitivity 441
Headrick, J. P and Willis, R. J. Effects of adenosine antagonism and β-blockade during low-flow ischaemia in rat heart 885
Hegde, S. S., DeFeo, M. L. and Jandhyala, B. S. Effects of atrial natriuretic fact on cyclic GMP content in the rat aortic smooth muscle: Studies on the role of membrane Na^+-ATPase 623
Heller, R. F., Henry, D. A. and Brent, P. J. Enzyme induction by eating charcoal-grilled steak with no effect on blood lipids 783
Hengy, B., Watanabe, N., Williams, A. G. Jr. and Downey, H. F. Does peripheral collateralization also cause collateralization in the canine heart? 429
Henry, D. A., see Heller, R. F.
Hewitson, T., Kamitsuji, H., Whitworth, J. A. and Kincaid-Smith P. Comparison of the vascular and glomerular changes in aortic-ligature and DOCA-salt hypertension 641
Hodsman, G. P., see Howes, L. G.
Hopkinson, K. C., see Foster, P. S.
Horiuchi, A., see Iwatsuki, K.
Horowitz, J. D., see Sewell, R. B.
Hosokawa, T., see Kageyama, M.
Howes, L. G. and Hodsman, G. P. Effects of sodium restriction on cardia 3,4-dihydroxy-phenylethylene glycol and catecholamine level in rats 671
Huang, X. D. and Wong, T. M. Arrhythmogenic effect of forskolin in the isolated perfused rat heart: Influence of nifedipine reduction of external calcium 751
Huggett, A., see McManus, M. E.
Hurley, D. M., see Pestell, R. G.
Hutchinson, J. S., see Tan, B. K. H.
Ikram, H., see Crozier, I. G.
Iwatsuki, K., Horiuchi, A., Yonekura, Y. and Chiba, S. Inhibitory effect of ouabain and acetazolamide on secretin-stimulated pancreatic exocrine secretion in anaesthetized dog 139
Jackson, A. J., see Jackson, R. V.
Jackson, B., see Fabris, B.
Jackson, R. V., Grice, J. E., Jackson, A. J. and Vella, R. D. Potentiation of fenfluramine-induced ACTH release in man by naloxone (Short Comm.) 263
Jackson, R. V., Jackson, A. J., Grice, J. E. and Vella, R. D. Nifedipine blocks ACTH and cortisol release in man (Short Comm.) 257
James, S. B., see Hales, J. R. S.
Jandhyala, B. S., see Hegde, S. S.
Jerums, G., see O'Brien, R. C.
Johnston, C. I., see Fabris, B.
Johnston, C. I., see Kohzuki, M.
Jover, B. F., see Langton, D.
Julien, C., see Sannajust, F.
Kageyama, M., Matsumura, Y., Hayashi, K., Hosokawa, T. and Morimoto, S. Diuretic effect induced by intrarenal infusion of nisoldipine in anaesthetized dogs 719
Kakagi, K., see Furui, H.
Kamitsuji, H., see Hewitson, T.

Kangawa, K., see Kita, T.
Karmakar, N. and Anand, S. Study of the inhibitory effect of lead acetate on duodenal contractility in rat 745
Kato, J., see Kita, T.
Kendrew, P. J., see Sturm, M. J.
Kewal, N. K., see Klemm, S. A.
Kida, O., see Kita, T.
Kincaid-Smith, P., see Hewitson, T.
King, A. R., see Dickinson, R. G.
King, R. G., see Lau, W. A. K.
Kingsford, N. M. and Lumbers, E. R. Effects of autonomic blockade on the hypertensive response of the fetus to hyperosmolality 873
Kirkpatrick, R. D., see Rahami, A. R.
Kita, T., Kida, O., Kato, J., Nakamura, S., Eto, T., Minamino, N., Kangawa, K., Matsuo, H. and Tanaka, K. Natriuretic and hypotensive effects of brain natriuretic peptide in anaesthetized DOCA-salt hypertensive rats 185
Klemm, S. A., see Gordon, R. D.
Klemm, S. A., see Hawkins, P. G.
Klemm, S. A., see Tunny, T. J.
Klemm, S. A., Gordon, R. D., Tunny, T. J., Hawkins, P. G., Finn, W. L., Hamlet, S. M., Kewal, N. K. and Purton, K. J. Levels of atrial natriuretic peptide are not always consistent with atrial pressure: Is there alternative regulation as evidenced in Gordon's and Bartter's syndromes? (Short Comm.) 269
Klinken, S. P. Oncogenes: Past, present and future 505
Kluck, R. M., see Dickinson, R. G.
Kneen, M., see Adam, W. R.
Knowlen, G. G., see Rahami, A. R.
Ko, W. W-W and Dai, S. Plasma, cardiac tissue and brain morphine concentrations in acute and chronic morphine-treated rats 117
Koenig-Berard, E., see Sannajust, F.
Kohzuki, M., Johnston, C. I., Chai, S. Y., Casley, D. J., Rogerson, F. and Mendelsohn, F. A. O. Endothelin receptors in rat adrenal gland visualized by quantitative autoradiography (Short Comm.) 239
Kudo, K., see Macdonald, P. S.
Kum, W., see Teoh, R.
Kumagai, M., see Yamada, K.
Kumahara, Y., see Rakugi, H.
Lande, I. S. de la, Noradrenaline diffusion, metabolism and vascular response in the rabbit ear artery 461
Lang, R. E., see von Harsdorf, R.
Langton, D., Jover, B. F., Trigg, L., Fullerton, M., Blake, D. W. and McGrath, B. P. Regional distribution of the cardiac output and renal responses to atrial natriuretic peptide infusion in rabbit with congestive heart failure 939
Lau, W. A. K., Rechtman, M. P., Boura, A. L. A. and King, R. G. Synergistic potentiation by captopril and propranolol of bradykinin-induced bronchoconstriction in the guinea-pig 849
Lawrence, J. R., see Field, M. J.

Ledingham, J. M. and Simpson, F. O. Effect of enalapril on handling of a sodium chloride load by genetically hypertensive and normotensive rats (Short Comm.) 315
Ledsome, J. R., see Courneya, C. A.
Lee, A. Y. S., see Wong, T. M.
Lee, A. Y. S., see Zhan, C. Y.
Li, C. G. and Rand, M. J. Evidence for a role of nitric oxide in the neurotransmitter system mediating relaxation of the rat anococcygeus muscle 933
Lumbers, E. R., see Kingsford, N. M.
Lumbers, E. R. and Smith, F. G. Measurement of net sodium intake by the ovine fetus with oesophageal ligation 859
Macdonald, P. S., Kudo, K., Dubbin, P. N. and Dusting, G. J. Rat aortic endothelium antagonizes nitroprusside-induced relaxation by release of the peptide endothelin (Short Comm.) 223
Mackenzie, P. I., Chowdhury, J. R, Chowdhury N. R. and Birkett, D. J. Regulation of rat UDP glucuronosyltransferases 501
Majewski, H., see Mian, M. A.
Malta, E. Studies on the biphasic relaxant curve of glyceryltrinitrate in rat aorta: Role of GTN metabolites 829
Manallack, D. T., Sheehan, K-A. M. and Beart, P. M. Comparison of the properties of [^{3}H]-D-2-amino-5-phosphonopentanoic acid and [^{3}H]-DL-2-amino-7-phosphonoheptanoic acid binding to homogenates of rat cerebral cortex 49
Manchanda, R., see Cunnane, T. C.
Manrique, V.,see González, P.
Marco, L. A., Reed, T. F., Aldes, L. D., Chronister, R. B., Brown, C. B. and White, L. E. Cortical control of tongue contractility in the rat under ketamine anaesthesia 395
Martin, G., see Sewell, R. B.
Marwood, J., see Tierney, G.
Mathai, M., see Spence, C. D.
Matsumura, Y., see Kageyama, M.
Matsuo, H., see Kita, T.
Matsuo, N., see Yamada, K.
May, B. K. and Hansen, A. J.–Effect of haem on cytochrome P-450 synthesis 497
McDonald, M., see Scoggins, B. A.
McDougall, J. G., see Wintour, E. M.
McDougall, J. G., see Yates, N. A.
McGrath, B. P., see Langton, D.
McGrath, B. P., see Sano, N.
McKnoulty, L. M., see Hawkins, P. G.
McManus, M. E. The role of cytochromes P-450 and *N*-acetyl transferase in the carcinogenicity of aromatic amines and amides 491
McManus, M. E., Huggett, A., Burgess, W., Robson, R. and Birkett, D. J. Immunochemical and catalytical characterization of the human liver NADPH-cytochrome P450 reductase 121
McMartin, L. R., see Summers, R. J.
McRitchie, R. J., see Russell, A. E.
Mendelsohn, F. A. O., see Fabris, B.
Mendelsohn, F. A. O., see Kohzuki, M.

Mian, M. A., Majewski, H. and Rand, M. J. Facilitation of noradrenaline release by isoprenaline in rat isolated atria does not involve angiotensin II formation 905
Mills, E. H., see Spence, C. D.
Minamino, N., see Kita, T.
Minson, R. B., see Russell, A. E.
Mitchelson, F., Choo, L. K. and Darroch, S. Muscarinic receptor differentiation 523
Molenaar, P., Russell, F. D., Shimada, T. and Summers, R. J. Function, characterization and autoradiographic localization and quantitation of β-adrenoceptors in cardiac tissues 529
Monagle, J., see Fox, D.
Morgan, T. O., see Barrett, G.
Morgan, T. O., see Delbridge, L. M.
Morgan, T. O., see Nowson, C. A.
Morimoto, S., see Kageyama, M.
Morris, B. J., hGK-1: A kallikrein gene expressed in human prostate (Short Comm.) 345
Mylecharane, E. J. The classificaiton of 5-hydroxytryptamine receptors 517
Nagashima, M., see Yamada, K.
Najim, R. A., Al-Essa, L. Y. and Al-Jawad F. H. Effect of some drugs acting at the central-type benzodiazepine receptors on blood glucose in mice 7
Nakamaru, M., see Rakugi, H.
Nakamura, S., see Kita, T.
Nakanishi, H. and Fujii, T. Blood pressure response to norepinephrine and angiotensin II in the offspring of parathyroidectomized mother rats 383
Nation, R. L. Enantioselective drug analysis: Problems and resolutions 471
Nicholls, M. G., see Crozier, I. G.
Nicholls, M. G., see Teoh, R.
Nowson, C. A. and Morgan, T. O. Magnesium supplementation in mild hypertensive patients on a moderately low sodium diet (Short Comm.) 299
O'Brien, R. C., Cooper, M. E., Allen, T. J. and Jerums, G. Ramipril reduces albuminuria in diabetic rats fed a high protein diet 675
Ogihara, T., see Rakugi, H.
Olley, J. E., see Evans, R. G.
Olley, J. E., see Tiong G. K. L.
Olley, J. E. Opiate receptors: Ligands and methods of study 535
Palluk, R., Veress, A. T. and Sonnenberg, H. Renal hyper-responsiveness to blood volume expansion in Brattleboro rats is not related to plasma ANF immunoreactivity 571
Parkes, D. G., see Scoggins, B. A.
Pennefather, J. N., see Fox, D.
Pestell, R. G. and Taylor, R. R. Effect of cigarette smoking on the frequency of ventricular premature complexes in normal subjects 647
Pestell, R. G., Hurley, D. M. and Vandongen, R. Biochemical and hormonal changes during a 1000 km ultramarathon 353
Phillips, P., see Whitworth, J. A.
Puig, M. M., see Alcaraz, C.
Purton, K. J., see Klemm, S. A.
Rädisch, T., see Friederichs, E.
Rahimi, A. R., Campbell, K. B., Knowlen, G. G. and Kirkpatrick, R. D. Taurine: Effect on myocardial relaxation 41

Rajanayagam, S., see Rand, M. J.
Rakugi, H., Ogihara, T., Nakamaru, M., Saito, H., Shima, J., Sakaguchi, K. and Kumahara, Y. Renal interaction of atrial natriuretic peptide with angiotensin II: Glomerular and tubular effects 97
Ramaswamy, S., Suthakaran, C. and Bapna, J. S. Role of gabaergic system in prolactin analgesia (Short Comm.) 893
Ramzan, I. Proconvulsant effect of papaverine on theophylline-induced seizures in rats (Short Comm.) 425
Rand, M. J., see Li, C. G.
Rand, M. J., see Mian, M. A.
Rand, M. J., see Wong-Dusting, H. K.
Rand, M. J., see Xiao, X-H.
Rand, M. J., Xiao, X-H., Rajanayagam, S. and Story, D. F. Does suppression of responsiveness to β-adrenoceptor activation explain the enhancement of vasoconstrictor response by α_2-adrenoceptor agonists? 457
Rapoport, S. I., see Robinson, P. J.
Rechtman, M. P., see Lau, W. A. K.
Reed, T. F., see Brown, C. B.
Reid, A. F., see Spence, C. D.
Reid, J. J., see Wong-Dusting, H. K.
Rice, G. E., see Evans, R. G.
Robinson, P. J. and Rapoport, S. I. A method for examining turnover and synthesis of palmitate-containing brain lipids *in vivo* 701
Robson, R., see McManus, M. E.
Rogerson, F., see Kohzuki, M.
Rouse, I. L., see Torre, L. B.
Russell, A. E., Tonkin, A. L., Wing, L. M. H., Hassam, R. M., McRitchie, R. J., Aylward, P. E., Minson, R. B., Bune, A. J. C., West, M. J. and Chalmers, J. P. Accuracy of the Takeda TM-2420 ambulatory blood pressure monitor (Short Comm.) 253
Russell, F. D., see Molenaar, P.
Saito, H., see Rakugi, H.
Sakaguchi, K., see Rakugi, H.
Sannajust, F. Julien, C. J., Barres, C., Cerutti, C., Koenig-Berard, E. and Sassard, J. Cardiovascular effects of rilmenidine, a new α_2-adrenoceptor agonist, and clonidine in conscious spontaneously hypertensive rats 837
Sano, N., Way, D. and McGrath, B. P. Renal sympathetic nerve activity measured by norepinephrine spillover rate in response to changes in blood pressure in conscious rabbits (Short Comm.) 319
Sassard, J., see Sannajust, F.
Satake, T., see Furui, H.
Scoggins, B. A., see Spence, C. D.
Scoggins, B. A., see Yates, N. A.
Scoggins, B. A., Spence, C. D., Parkes, D. G., McDonald, M., Wade, J. D. and Coghlan, J. P. Cardiovascular actions of human endothelin in conscious sheep (Short Comm.) 235
Seow, F., see Field, M. J.
Sewell, R. B., Horowitz, J. D., Grinpukel, S. A. and Martin, G. Perhexiline: Effects on hepatic lysosomal function in rats 25
Sheahan, J., see Hales, J. R. S.

Sheehan, K-A. M., see Manallack, D. T.
Shima, J., see Rakugi, H.
Shimada, T., see Molenaar, P.
Shine, P. F., see Wintour, E. M.
Simpson, F. O., see Ledingham, J. M.
Singh, Y. N. and Dryden, W. F. Isometric contractile properties and caffeine sensitivity of the diaphragm, EDL and soleus in the mouse 581
Skinner, S. L., see Dowling, G. J.
Smith, F. G., see Lumbers, E. R.
Smith, M., see Barrett, G.
Sonnenberg, H., see Palluk, R.
Spence, C. D., see Scoggins, B. A.
Spence, C. D., Coghlan, J. P., Denton, D. A., Mills, E. H., Whitworth, J. A. and Scoggins, B. A. Adrenocortical steroid requirements for initiation of ACTH-dependent hypertension in sheep 759
Spence, C. D., Coghlan, J. P., Whitworth, J. A. and Scoggins, B. A. Digoxin enhances the pressor response to aldosterone administration in conscious sheep 211
Spence, C. D., Mathai, M., Mills, E. H., Coghlan, J. P., Whitworth, J. A. and Scoggins, B. A. Centrally mediated increased sympathetic activity is not important in the genesis of ACTH-induced hypertension in sheep 607
Spence, C. D., Reid, A. F., Coghlan, J. P., Mills, E. H., Whitworth, J. A. and Scoggins, B. A. Progesterone antagonizes development but not maintenance of ACTH-induced hypertension in sheep 659
Stephens, F. R. N., see Hales, J. R. S.
Stewart, A. G. CV 6209 is a non-competitive antagonist of platelet-activating factor receptors on guinea-pig resident peritoneal macrophages 813
Stokes, G., see Tierney, G.
Story, D. F., see Rand, M. J.
Strophair, J. M., see Sturm, M. J.
Sturm, M. J., Strophair, J. M., Kendrew, P. J., Vandongen, R., Beilin, L. J. and Taylor, R. R. Whole blood aggregation and plasma lyso-PAF related to smoking and atherosclerosis 597
Sudhir, K., see Cocks, T. M.
Sugo, E. and György, A. Z. Method of measuring liquid junction potentials in small (nanolitre) droplets of biological fluids 555
Summers, R. J., see Molenaar, P.
Summers, R. J. and McMartin, L. R. New tools for the localization of second messenger systems 549
Suthakaran, C., see Ramaswamy, S.
Suzuki, K., see Furui, H.
Tan, B. K. H. and Hutchinson, J. S. Blood pressure, plasma and pituitary prolactin responses to bromocriptine in New Zealand genetically hypertensive and normotensive rats 13
Tanaka, K., see Kita, T.
Tang, F., see Zhan, C. Y.
Tang, F. Changes in met-enkephalin and β-endorphin contents in the hypothalamus and the pituitary in diabetic rats: Effects of insulin therapy 65
Taylor, R. R., see Pestell, R. G.
Taylor, R. R., see Sturm, M. J.

Teoh, R., Kum, W., Cockram, C. S., Young, J. D. and Nicholls, M. G. Mouse astrocytes possess specific ANP receptors which are linked to cGMP production (Short Comm.) 323

Tierney, G., Marwood, J. and Stokes G. An *in vitro* study of interactions between doxazosin and enalaprilat at vascular α_1-adrenoceptors (Short Comm.) 329

Tiong G. K. L. and Olley, J. E. Use of methionine-enkephalin sulfoxide and leucine-enkephalin radio-immunoassays for the measurement of enkephalins in the rat brain 89

Tonkin, A. L., see Russell, A. E.

Torre, L. B., Rouse, I. L. and Beilin, L. J. Reproducibility of 24-hour non-invasive ambulatory blood pressure monitoring using the Suntech Accutracker (Short Comm.) 247

Towstoless, M. K., see Wintour, E. M.

Trigg, L., see Langton, D.

Tunny, T. J., see Gordon, R. D.

Tunny, T. J., see Hawkins, P. G.

Tunny, T. J., see Klemm, S. A.

Tunny, T. J., van Gelder, J., Gordon, R. D., Klemm, S. A., Hamlet, S. M., Finn, W. L., Carney, G. M. and Brand-Maher, C. Effects of altitude on atrial natriuretic peptide: The Bicentennial Mount Everest Expedition (Short Comm.) 287

Tuñon, M. J.,see González, P.

Turndorf, H., see Alcaraz, C.

Vandongen, R., see Pestell, R. G.

Vandongen, R., see Sturm, M. J.

Vella, R. D., see Jackson, R. V.

Vella, R. D., see Jackson, R. V.

Verbeeck, R. K., see Dickinson, R. G.

Veress, A. T., see Palluk, R.

Wade, J. D., see Scoggins, B. A.

Watanabe, N., see Hengy, B.

Way, D., see Sano, N.

Wellard, R. M., see Adam, W. R.

West, M. J., see Russell, A. E.

Westerman, R. A., see Hales, J. R. S.

White, L. E., see Brown, C. B.

Whitworth, J. A., see Hewitson, T.

Whitworth, J. A., see Spence, C. D.

Whitworth, J. A., Gordon, D., Harpley, R., Yeung, S. and Phillips, P. Acute hormonal and renal effects of oral dilevalol in normal men (Short Comm.) 59

Williams, A. G. Jr, see Hengy, B.

Williams, K. M. Chirality: Pharmacokinetics and pharmacodynamics in 3-dimensions 465

Willis, R. J., see Headrick, J. P.

Wilson, N., see Courneya, C. A.

Wing, L. M. H., see Russell, A. E.

Winkler, H., see Friederichs, E.

Wintour, E. M., Cooper, E., McDougall, J. G., Shine, P. F. and Towstoless, M. K. Interrelationship between cortisol and atrial natriuretic factor in the immature ovine fetus 737

Wong, T. M., see Huang, X. D.
Wong, T. M., see Zhan, C. Y.
Wong, T. M., Lee, A. Y. S. and Chan, R. K. W. Cardiovascular effects of central administration of β-endorphin in rats receiving neonatal injection of monosodium glutamate 19
Wong-Dusting, H. K. and Rand M. J. Inhibition of sympathetic neurotransmission by the opioid δ-receptor agonist DAMA in the pithed rat 821
Wong-Dusting, H. K., Reid, J. J. and Rand, M. J. Paradoxical effects of endothelin on cardiovascular noradrenergic neurotransmission (Short Comm.) 229
Woodcock, E. A., see von Harsdorf, R.
Xiao, X-H., see Rand, M. J.
Xiao, X-H. and Rand, M. J. Amplification by serotonin of responses to other vasoconstrictor agents in the rat tail artery 725
Yamada, K., Matsuo, N., Nagashima, M., Kumagai, M. and Furukawa, T. Dopamine receptor blocking action of a dibenzothiepin derivative isofloxythepin in rats 109
Yamaguchi, N., see Brassard, M.
Yamori, Y. Experimental evidence for dietary prevention of cardiovascular diseases (Short Comm.) 303
Yandle, T. G., see Crozier, I. G.
Yates, N. A., Coghlan, J. P., Scoggins, B. A. and McDougall, J. G. Renal effects of atrial natriuretic factor (99–126) in potassium loaded sheep (Short Comm.) 807
Yates, N. A., Coghlan, J. P., Scoggins, B. A. and McDougall, J. G. Renal effects of atrial natriuretic factor (99–126) in water-deprived sheep (Short Comm.) 433
Yeung, S., see Whitworth, J. A.
Yonekura, Y., see Iwatsuki, K.
Young, J. D., see Teoh, R.
Zhan, C. Y., Tang, F., Lee, A. Y. S. and Wong, T. M. Effects of reserpine treatment on arrhythmogenesis during ischaemia and reperfusion in the isolated rat heart 591
Ziogas, J., see Brock, J. A.